


Fig. 1.

	mortality	%	anaesth	technical
<b>Controls:</b>	<b>11/39</b>	<b>(28,2)</b>	<b>3</b>	<b>8</b>
<b>IL-6:</b>	<b>10/80</b>	<b>(12,5)</b>	<b>5</b>	<b>5</b>
L.D. (Low Doses)	IL 0,1:	0/12	-	-
	IL 1:	2/14	(14,2)	2
	IL 10:	2/20	(10,0)	2
H.D. (High Doses)	IL 100:	4/21	(19,0)	1
	IL 500:	2/13	(15,4)	0
<b>IL L.D.:</b>	<b>4/46</b>	<b>( 8,7)</b>		
<b>IL H.D.:</b>	<b>6/34</b>	<b>(17,6)</b>		

Fig. 2



ANOVA (Dunnett)       $p < .05$        $< .05$        $< .05$        $< .05$        $< .05$

Fig. 3






Fig. 4



BEST AVAILABLE COPY

Fig. 5




BEST AVAILABLE COPY


Fig 6

## IL-6 receptors in normal and cirrhotic rats: gp 130 and gp 80


total liver




## purified hepatocytes



**normal**      **cirrhotic**



**normal      cirrhotic**



gp 130

**BEST AVAILABLE COPY**

Fig. 7




Fig. 8




Fig. 9

